

PARTIALLY PAVED TREE WELL 4'-6" x 8' INCLUDING PAVERS (TYP.), SEE PAVER AT TREE WELL AND PLANTER STRIP DETAIL T06-07 AND TREE WELL AND PAVER EDGE INSTALLATION DETAIL T02-03

**OPTION A**  
(MIN. WIDTHS)

12' OPTIMUM WIDTH (SEE OPTION A FOR MIN. WIDTHS) SEE SIDEWALK DETAIL T02-01A

CONTINUOUS PLANTER STRIP AT MID-BLOCK. SHRUB OR GROUNDCOVER (NO SOD) UNDERSTORY NOT TO EXCEED 12" HEIGHT (TYP.)

CONCRETE SIDEWALK WITH SCORE LINE EVERY 8' NOMINAL. LIGHT BROOM FINISH PERPENDICULAR TO PEDESTRIAN TRAVEL

7' PEDESTRIAN CLEAR SPACE

ROUNDED CANOPY OR VASE SHAPED STREET TREES SELECTED FROM THE "FOURTH PLAIN STREETScape DESIGN STUDY" TREE LIST. SHRUB OR GROUNDCOVER UNDERSTORY NOT TO EXCEED 12" HEIGHT (TYP.)

SEE CONCRETE CURBS DETAIL T01-01A

SEE SIGHT DISTANCE REQUIREMENTS FOR CONTROLLED INTERSECTIONS DETAIL T04-03 AND VISION CLEARANCE TRIANGLE DETAIL T04-04

**NOTES:**

1. FINISH SHALL BE LIGHT BROOM PERPENDICULAR TO PEDESTRIAN TRAFFIC UNLESS OTHERWISE NOTED. TRUNCATED DOME COLOR BLACK OR GREY.
2. SIDEWALK PATTERN APPLIES TO FOURTH PLAIN BOULEVARD "GREEN NECKLACE" DESIGN AREA.
3. SCORE LINES SHALL BE CRISP AND WITHOUT SHINERS.

I:\CITYPPS\AUTOCAD\STD\_DETAILS\DRAWING\_FILES\T06-04

| REV NO. | DATE | BY  | APPR |  |
|---------|------|-----|------|--|
| 1       | 8/08 | RAW | MHA  |  |
| 2       | 7/14 | RAW | MHA  |  |
| 3       | 3/17 | RAW | MHA  |  |
| 4       | 9/21 | RAW | MHA  |  |

PUBLIC WORKS - STREETS AND TRANSPORTATION

APPROVED BY: *M.H. Sedalla*  
ENGINEER MANAGER

APPROVED DATE: 9/1/2021



FOURTH PLAIN BOULEVARD "GREEN NECKLACE" SIDEWALK NORTH SIDE

STANDARD PLAN NUMBER  
T06-04