


ADJUSTABLE
OVERHEAD MAST ARM
SWING SIGN BRACKET
MIOJ-OCB250

2-ALUM. STIFFENER
BARS (LENGTH VARIES)

5'-0" MAX.


STRAP (2) 3/4" STAINLESS
.030 BANDING STRAPS (2000
LBS STRENGTH EACH STRAP)
HD C 206 13206 USE
BANDING CLIPS HD13256 (2
STRAPS)

OVERHEAD MAST ARM
SWING SIGN BRACKET
MIOJ-OCB250



1/4" (MIN.) GALV.
BRACKET 2" WIDE
BY VARIABLE
LENGTH

SIGN FACE



NOTES:

CLAMP BRACKET STRAP

1. SIGN SHALL BE OF .125 ALUMINUM SHEETING, FLAT STOCK, 18" WIDE BY 6' TO 10' IN LENGTH, (IN 6" INCREMENTS).
2. SIGN FACE SHALL BE FABRICATED FROM CUBED CORNERED LENS (VIP, TYPE A) REFLECTIVE MATERIAL. FACE LEGEND AND BORDER SHALL MATCH MUTCD AND WSDOT STANDARD SPECIFICATIONS.
3. STIFFENER BARS SHALL BE .125 ALUMINUM SHAPED.
4. COMPLETE READY-TO-MOUNT SIGN ASSEMBLY NOT TO EXCEED 65 POUNDS IN WEIGHT.
5. ALL SIGN MATERIALS AND ATTACHMENT HARDWARE SHALL CONFORM TO MUTCD AND WSDOT STANDARD SPECIFICATIONS.
6. ENGINEER SHALL APPROVE FACE COPY PRIOR TO FABRICATION.
7. THE SIZE OF THE SIGN WILL DETERMINE IF ONE OR TWO BRACKETS ARE NECESSARY. HAVE ENGINEERS APPROVAL PRIOR TO INSTALLATION.
8. FOR ALTERNATE OVERHEAD SIGN MOUNTING OPTION, SEE WSDOT STANDARD PLAN G-30.10-xx. HAVE ENGINEERS APPROVAL PRIOR TO USING ALTERNATE OPTION.

I:\CITYPPS\AUTOCAD\STD_DETAILS\DRAWING_FILES\T20-08

REV NO.	DATE	BY	APPR	AGE
1	8/04	RAW		AGE
2	3/06	RAW		AGE
3	2/07	RAW		AGE
4	8/08	RAW		AGE
5	1/15	RAW	CJC	
6	9/21	RAW	CJC	

PUBLIC WORKS - STREETS
AND TRANSPORTATION

APPROVED BY: *[Signature]*
TRAFFIC ENGINEER MANAGER

APPROVED DATE: 9/1/2021



OVERHEAD SIGN MOUNTING DETAILS	STANDARD PLAN NUMBER T20-08
-----------------------------------	-----------------------------------