



**NOTES:**

- ① SEE TYPE PS, TYPE I AND TYPE PPB TRAFFIC SIGNAL POLE FOUNDATION DETAIL T20-16 AND SPECIFICATIONS FOR FOUNDATION INFORMATION.
- ② 8' GROUND ROD - CONNECT TO BASE.
- ③ CITY OF VANCOUVER TYPE I STANDARD (12'-6" IN LENGTH) OR EXISTING LIGHT STANDARD.
- ④ 1-WAY, 1-SECTION, 12" YELLOW LED MOUNTED ABOVE SIGN..
- ⑤ TUNNEL VISOR.
- ⑥ LOCKNIPPLE, 1 1/2" DIA. WITH GASKET, WASHER AND CONDUIT LOCKNUT.
- ⑦ SERRATED OR FLANGED ELBOW.
- ⑧ CONDUIT NIPPLE, 1 1/2" DIA.
- ⑨ TOP MOUNT SEE WSDOT DETAIL J-21.16.xx AND J-21.17.xx. IF SIGN IS MOUNTED ON LIGHT POLE USE MODIFIED TYPE K MOUNT.
- ⑩ SLIPFITTER.
- ⑪ ALUMINUM CASING.
- ⑫ END CAP.
- ⑬ MOUNTING BRACKET.

REFERENCES TO WSDOT STANDARD PLANS, USE THE MOST CURRENT VERSION OF THESE STANDARD PLANS.

I:\CITYPPS\AUTOCAD\STD\_DETAILS\DRAWING\_FILES\T20-14

REV. NO.	DATE	BY	APPR	AGE
1	8/04	RAW		AGE
2	3/06	RAW		AGE
3	2/07	RAW		AGE
4	8/08	RAW		AGE
5	7/14	RAW	CJC	
6	9/21	RAW	CJC	

PUBLIC WORKS - STREETS AND TRANSPORTATION

APPROVED BY: *[Signature]*  
TRAFFIC ENGINEER MANAGER

APPROVED DATE: 9/1/2021



SIGN AND FLASHER ASSEMBLY

STANDARD PLAN NUMBER  
T20-14