Applicator Certification of Exterior Insulation Finish System (EIFS)



Permit Number: CMI	Project Address:		
		em was installed in accordance wit ecifications and Recommendations	
Name. Type of EIFS Installe	d:		
Signature of Certified Instal	ler:	Date:	
Printed Name Certified Insta	aller:		
Address:			
Telephone Number:			

SECTIONS 1407 & 1705.16 EIFS

- ◆ 1407.1 General. The provisions of the section shall govern the materials, construction and quality of exterior insulation and finish systems (EIFS) for use as exterior wall coverings in addition to other applicable requirements of Chapters 7, 14, 16, 17 & 26.
- 1407.2 Performance characteristics. EIFS shall be constructed such that it meets the performance characteristics required in ASTM E2568
- ♦ 1407.3 Structural design. The underlying structural framing and substrate shall be designed and constructed to resist loads as required by Chapter 16.
- ♦ 1407.4 Weather resistance. EIFS shall comply with Section 1402 and shall be designed & constructed to resist wind and rain in accordance with the section & the manufacturer's application instructions.
 - **1407.4.1 EIFS with drainage.** EIFS with drainage shall have an average minimum drainage efficiency of 90% when tested in accordance with the requirements of ASTM E2273 & is required on framed walls of Type V construction, Group R1, R2, R3 & R4 occupancies.
 - **1407.4.1.1 Water-resistive barrier.** For EIFS with drainage, the *water-resistive barrier* shall comply with Section 1403.2 or ASTM E2570
- ◆ 1407.5 Installation. Installation of the EIFS and EIFS with drainage shall be in accordance with the EIFS manufacturer's instructions.
- 1407.6 Special Inspections. EIFS installations shall coply with the provisions of Sections 1704.2 & 1705.16
- ◆ 1705.16 Exterior insulation & finish systems (EIFS). Special inspections shall be required for all EIFS applications.
 Exceptions:
- 1. Special inspections shall not be required for EIFS applications installed over a water– resistive barrier with a means of draining moisture to the exterior.
- 2. Special inspections shall not be required for EIFS applications installed over masonry or concrete.

