



COLUMBIA ST 2.5"

**NOTES:**

1. STREET NAME SHALL BE STAMPED ON PROPOSED CURB AND BE CENTERED WITHIN THE 5' WIDE PEDESTRIAN RAMP
2. TEXT STYLE SHALL BE SansSerif OR APPROVED EQUAL.
3. CONTRACTOR SHALL SUBMIT STAMP SAMPLE FOR CITY APPROVAL PRIOR TO STAMPING.
4. FAILURE TO STAMP STREET NAMES WILL REQUIRE CURB REPLACEMENT AT THE CONTRACTORS EXPENSE.
5. STAMP SHALL BE PLACED WITHIN 30 MINUTES OF CONCRETE POUR AND SHALL BE CLEARLY VISIBLE AFTER CURING.
6. CONTRACTOR SHALL PLACE EXISTING CONTRACTOR AND DATE STAMPED CONCRETE IN PLANTER STRIP AT GRADE. ONE PER NAME PER INTERSECTION

I:\CITYAPPS\AUTOCAD\STD\_DETAILS\DRAWING\_FILES\T01-09.DWG



**CURB STAMP DETAIL**

CITY OF VANCOUVER  
DEPARTMENT OF PUBLIC WORKS  
TRANSPORTATION DIVISION

DRAWN BY	APPROVED BY	APPROVAL DATE
CDG	<i>MAHE</i>	7/14
REVISION	APPROVED BY	APPROVAL DATE
3	<i>MAHE</i>	3/24

STD. PLAN NO.  
**T01-09**