

PARTIALLY PAVED TREE WELL 4'-6" x 8' INCLUDING PAVERS (TYP.), SEE PAVER AT TREE WELL AND PLANTER STRIP DETAIL T06-07 AND TREE WELL AND PAVER EDGE INSTALLATION DETAIL T02-03

OPTION A
(MIN. WIDTHS)

12' OPTIMUM WIDTH (SEE **OPTION A** FOR MIN. WIDTHS) SEE **SIDEWALK DETAIL T02-01A**

CONTINUOUS PLANTER STRIP AT MID-BLOCK. SHRUB OR GROUND COVER (NO SOD) UNDERSTORY NOT TO EXCEED 12" HEIGHT (TYP.)

CONCRETE SIDEWALK WITH SCORE LINE EVERY 8' NOMINAL. LIGHT BROOM FINISH PERPENDICULAR TO PEDESTRIAN TRAVEL

7' PEDESTRIAN CLEAR SPACE

ROUNDED CANOPY OR VASE SHAPED STREET TREES SELECTED FROM THE "FOURTH PLAIN STREETSCAPE DESIGN STUDY" TREE LIST. SHRUB OR GROUND COVER UNDERSTORY NOT TO EXCEED 12" HEIGHT (TYP.)

SEE **CONCRETE CURBS DETAIL T01-01A**

SEE **SIGHT DISTANCE REQUIREMENTS FOR CONTROLLED INTERSECTIONS DETAIL T04-03** AND **VISION CLEARANCE TRIANGLE DETAIL T04-04**

NOTES:

1. FINISH SHALL BE LIGHT BROOM PERPENDICULAR TO PEDESTRIAN TRAFFIC UNLESS OTHERWISE NOTED. TRUNCATED DOME COLOR BLACK OR GREY.
2. SIDEWALK PATTERN APPLIES TO FOURTH PLAIN BOULEVARD "GREEN NECKLACE" DESIGN AREA.
3. SCORE LINES SHALL BE CRISP AND WITHOUT SHINERS.

I:\CITYAPPS\AUTOCAD\STD_DETAILS\DRAWING_FILES\T06-04.DWG



FOURTH PLAIN BOULEVARD "GREEN NECKLACE" SIDEWALK NORTH SIDE

CITY OF VANCOUVER
DEPARTMENT OF PUBLIC WORKS
TRANSPORTATION DIVISION

DRAWN BY	APPROVED BY	APPROVAL DATE
CDC	<i>M.H.H.</i>	8/08
REVISION	APPROVED BY	APPROVAL DATE
5	<i>M.H.H.</i>	3/24

STD. PLAN NO.
T06-04