


NOTES:
APPROVED MATERIALS LIST:
SEE CITY OF VANCOUVER'S WEB SITE;
<http://www.cityofvancouver.us/publicworks/page/transportation-development-review-information>



**ALL SPLICES SHALL BE COMPRESSION
 DO NOT USE WIRE NUTS**

SPLICE NO. 8/2 AND NO. 12 CONDUCTORS
 HERE WITH 10A FUSE VIA HANDHOLE 3"x5"
 OPENING WITH COVER AND TAMPER PROOF
 STAINLESS STEEL SCREWS.

2' MIN. TO FACE OF CURB
 SEE **T21-16 LIGHTING
 STANDARD POSITION OPTIONS**

DIRECT BURIAL, SEE DETAIL
T21-10

NOTE:
 LIGHTING STANDARD TYPE N CAN BE
 USED ALONG RESIDENTIAL OR LOCAL
 ACCESS STREET ONLY OR MATCHING THE
 SURROUNDING NEIGHBORHOOD.

I:\CITYAPPS\AUTOCAD\STD_DETAILS\DRAWING_FILES\T21-08.DWG



TYPE "N" LIGHTING STANDARDS

CITY OF VANCOUVER
 DEPARTMENT OF PUBLIC WORKS
 TRANSPORTATION DIVISION

DRAWN BY	APPROVED BY	APPROVAL DATE
CDC	<i>[Signature]</i>	8/04
REVISION	APPROVED BY	APPROVAL DATE
7	<i>[Signature]</i>	3/24

STD. PLAN NO.
T21-08