

Applicator Certification of Exterior Insulation Finish System (EIFS)



Permit Number: CMI-_____ Project Address: _____

I hereby certify that the Exterior Insulation Finish System was installed in accordance with the applicable codes, standard and the Manufacturer's Specifications and Recommendations.

Name. Type of EIFS Installed: _____

Signature of Certified Installer: _____ Date: _____

Printed Name Certified Installer: _____

Address: _____

Telephone Number: _____

SECTIONS 1407 & 1705.16 EIFS

- ◆ **1407.1 General.** The provisions of the section shall govern the materials, construction and quality of *exterior insulation and finish systems* (EIFS) for use as *exterior wall coverings* in addition to other applicable requirements of Chapters 7, 14, 16, 17 & 26.
- ◆ **1407.2 Performance characteristics.** EIFS shall be constructed such that it meets the performance characteristics required in ASTM E2568
- ◆ **1407.3 Structural design.** The underlying structural framing and substrate shall be designed and constructed to resist loads as required by Chapter 16.
- ◆ **1407.4 Weather resistance.** EIFS shall comply with Section 1402 and shall be designed & constructed to resist wind and rain in accordance with the section & the manufacturer's application instructions.
 - 1407.4.1 EIFS with drainage.** EIFS with drainage shall have an average minimum drainage efficiency of 90% when tested in accordance with the requirements of ASTM E2273 & is required on framed walls of Type V construction, Group R1, R2, R3 & R4 occupancies.
 - 1407.4.1.1 Water-resistive barrier.** For EIFS with drainage, the *water-resistive barrier* shall comply with Section 1403.2 or ASTM E2570
- ◆ **1407.5 Installation.** Installation of the EIFS and EIFS with drainage shall be in accordance with the EIFS manufacturer's instructions.
- ◆ **1407.6 Special Inspections.** EIFS installations shall comply with the provisions of Sections 1704.2 & 1705.16
- ◆ **1705.16 Exterior insulation & finish systems (EIFS).** *Special inspections* shall be required for all EIFS applications.

Exceptions:

1. *Special inspections* shall not be required for EIFS applications installed over a *water-resistive barrier* with a means of draining moisture to the exterior.
2. *Special inspections* shall not be required for EIFS applications installed over masonry or concrete.